

Amendments to the Specification

Please replace the paragraph at page 12, lines 6 through 17 with the following amended paragraph:

Referring to Figure 3, shown is timing diagram for gating information to a plurality of processor elements in a prior art pipeline processor. By way of example, individual timing diagrams for a first five processor elements, denoted 1, 2, 3, 4 and 5, respectively, are shown. Each clock cycle is denoted by a pair of letters, for example AB, CD, EF, etc. It is assumed for the purpose of this description that information is gated to and from each processor element at a "rising edge" of any clock cycle. For instance, along the forward processing path processor element 1 gates in a first block of data at "rising edge" AB and processes the first block of data during one complete clock cycle. Similarly, processor element 2 gates in the first block of data from processing element 1 at "rising edge" CD and processes the first block of data during one complete clock cycle. Additionally, along the return processing-path, processor element 1 gates in a block of processed data from ~~from~~ processor element 2 at "rising edge" EF.

Please replace the paragraph at page 13, lines 11 through 28 with the following amended paragraph:

Referring to Figure 4, shown is a timing diagram for gating information to a plurality of processor elements in a pipeline processor, according to the present invention. By way of example, the individual timing diagrams for a subset of a serial array comprising the first ten processor elements, denoted 1, 2, 3, 4, 5, 6, 7, 8, 9, and 10, respectively, are shown. Each clock cycle is denoted by a pair of letters, for example AB, CD, EF, etc. It is assumed for the purpose of this discussion that information is gated into and out of each processor element at a "rising edge" of a clock cycle. For instance, along the forward processing path processor element 1 gates in a first block of data at "rising edge" AB and processes the first block of data during one complete clock cycle. Similarly, processor element 2 gates in the first block of data from processing element 1 at "rising edge" CD and processes the first block of data during one

complete clock cycle. Additionally, along the return processing-path, processor element 1 gates in a block of processed data from ~~prom~~ processor element 2 at "rising edge" EF. It is further assumed for the purpose of this discussion that the processing operation requiring the greatest amount of time to be completed at any processor element is along the forward processing-path. Of course, as indicated by the diagonal lines in Fig. 4, the rising edge AB occurs at different times for different processing elements.